




# Building Division

## WALL SECTION 1



DATE:  
December 2018

SCALE:  
NOT TO SCALE

DRAWING NO:  
**9-20**

① EPS Foam CI w/Batt  
3/4" = 1'-0"




# Building Division

## WALL SECTION 2

DATE:  
December 2018

SCALE:  
NOT TO SCALE

DRAWING NO:  
  
9-21




① EPS Foam Cl w/Mineral Wool  
3/4" = 1'-0"



Building  
Division

WALL  
SECTION  
3



**NOTE: PROTECTION OF ANY EXPOSED FOAM PLASTICS IS REQUIRED.** TYPICAL LOCATIONS INCLUDE, BUT ARE NOT LIMITED TO:

- EXPOSED EDGE OF INSULATION AT TOP OF FOUNDATION WALL,
- EDGES OF WINDOW OR DOOR OPENINGS, ETC.

PERMITTED COVERING INCLUDES: DRYWALL, 1/4" OSB OR PLYWOOD, R22 MINERAL WOOL (ROCK WOOL OR OWENS CORNING) (TIGHTLY FITTED).

DATE:  
December 2018

SCALE:  
NOT TO SCALE


DRAWING NO:  
  
9-22

① XPS Foam CI w/Batt (A5)  
3/4" = 1'-0"



# Building Division

## WALL SECTION 4



DATE:  
December 2018

SCALE:  
NOT TO SCALE


DRAWING NO:  
  
9-23

① XPS Foam CI w/Batt (A1, A2, A3, A4, A6)  
3/4" = 1'-0"



# Building Division

## WALL SECTION 5



**NOTE: PROTECTION OF ANY EXPOSED FOAM PLASTICS IS REQUIRED.** TYPICAL LOCATIONS INCLUDE, BUT ARE NOT LIMITED TO:

- EXPOSED EDGE OF INSULATION AT TOP OF FOUNDATION WALL,
- EDGES OF WINDOW OR DOOR OPENINGS, ETC.

PERMITTED COVERING INCLUDES: DRYWALL, 1/4" OSB OR PLYWOOD, R22 MINERAL WOOL (ROCK WOOL OR OWENS CORNING) (TIGHTLY FITTED).

DATE:  
December 2018

SCALE:  
NOT TO SCALE

DRAWING NO:  
  
9-24

① XPS w/Mineral Wool CI  
3/4" = 1'-0"



Building  
Division

# WALL SECTION 6

DATE:


December 2018

SCALE:

NOT TO SCALE

DRAWING NO:

9-25



① Mineral Wool CI w/Batt  
3/4" = 1'-0"