

## Approved Deck Guard (Railing) Systems Low-Rise (Part 9) Residential

### Vista Guard Systems



| <u>Product Name</u>           | <u>Product Description</u>                                                                                                                                                                                                                                                   |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Vista Glass Railing           | <ul style="list-style-type: none"><li>• 36" or 42" Posts with 72" spacing <b>6 mm tempered glass</b> with 2" x 2" <b>Aluminum Posts</b></li></ul>                                                                                                                            |
| Vista Wind Wall Glass Railing | <ul style="list-style-type: none"><li>• 60" Posts with 38 ¼" spacing <b>6 mm tempered glass</b> with 2" x 2" <b>Aluminum Posts</b></li></ul>                                                                                                                                 |
| Vista Picket Railing          | <ul style="list-style-type: none"><li>• 36" or 42" Posts with 96" spacing <b>5/8" x 5/8" aluminum pickets</b> with 2" x 2" <b>Aluminum Posts</b></li><li>• 36" or 42" Posts with 96" spacing <b>1½" x 5/8" aluminum pickets</b> with 2" x 2" <b>Aluminum Posts</b></li></ul> |

### Limitations - General

- Post spacing noted is a maximum.
- Approved for surface mounted concrete and wood, fascia wood, and wall mount connections as per engineering.

### Limitations – Picket Guards

- Maximum post spacing is reduced to 72" when using the fascia mount.
- Maximum spacing between aluminum pickets is 3 ¾" as per engineering.

### Terms and Conditions

1. Refer to engineered documentation from manufacturer for more information (anchorage details will be attached with permit approval).
2. Only Professional Engineer Stamped Documents dated as per City of Kitchener's records have been approved.
3. The information provided on the "Approved Deck Guard (Railing) Systems" is subject to change without notice.