

Building Division

RAISED CEILING JOIST DETIAL

DATE:


**NOVEMBER 2008** 

SCALE:


1/4" = 1'-0"

DRAWING NO.:

9-16



## CONNECTION DETAIL FOR BUILDINGS UP TO 21'-0" WIDE



CONNECTION DETAIL FOR BUILDINGS 21'-0" TO 28'-0" WIDE



## Building Division



DATE:


JANUARY 2013

SCALE:


1/4" = 1'-0"

DRAWING NO.:

9-16a



## CONNECTION DETAIL FOR BUILDINGS UP TO 21'-0" WIDE



CONNECTION DETAIL FOR BUILDINGS 21'-0" TO 28'-0" WIDE



Building Division

CONNECTION DETAIL FOR ACCESSORY STRUCTURES UP TO 12'-0" WIDE

12'-0" MAXIMUM BUILDING WIDTH

| 2x4 COLLAR TIES @ MID | HEIGHT @ 24" o.c. MAX. | (4) 3-1/2" ARDOX NAILS

CLINCHED PER CONNECTION

12x4 ROOF RAFTERS @ 24" o.c. MAX.

MIN. ROOF SLOPE

ACCESSORY STRUCTURE RAISED CEILING JOIST DETIAL

DATE:


JANUARY 2013

SCALE:

1/4" = 1'-0"

DRAWING NO.:

9-16b



CONNECTION DETAIL FOR ACCESSORY STRUCTURES UP TO 15'-0" WIDE